# FLOOR-EVEN SHOWERS AND BATHTUBS

# CLEVER IDEAS FOR **BETTER BATHROOMS**



# **CONTENTS**

bathroom floor.

<u>동</u>자.

NEMEA SHOWER SURFACE

Floor-even acrylic shower

elegant solution for every

bathroom

surface. A cost-effective and



### SHOWER SURFACES: GEBERIT SETAPLANO, SESTRA AND OLONA, **TOOL-FREE INSTALLATION** TECHNOLOGY For floor-even, barrier-free showers that are visually clearly separate from the



SHOWER DRAINS: GEBERIT CLEANLINE SHOWER CHANNELS The easy-to-clean shower channel without hidden areas. Narrow and functional: The new Geberit CleanLine50 shower channel.











SHOWER DRAINS: GEBERIT WALL AND FLOOR DRAIN For drainage of completely tiled shower areas.

# **CLEVER USE OF PREWALL** 28

INSTALLATION The Geberit niche storage box and the walk-in shower panel with invisible

provided by a prewall installation.

fastenings optimally use the possibilities



h



# **NEW BATHTUB DRAINS**

New drain assemblies with turn handle - with and without inlet. Available in four different colour variations.



The Geberit Setaplano shower surface is a captivating product from the very first glance – and the very first touch. Made of a high-quality solid surface material, it has a surface that feels silky-smooth and warm to the touch.







mooth surface that ant and warm to the





- High-quality solid surface material with the best antislip class C in accordance with DIN 51097.
- Drain positioned at the side for maximum free space without backwater.
- Available in various sizes and formats.



## SOPHISTICATED DESIGN

Not only is the Geberit Setaplano shower surface easy to install, it also offers tangible added value to the user. The solid surface material is highly resistant and non-porous, making it easy to clean.


# **GEBERIT SETAPLANO SHOWER SURFACES ARE AVAILABLE IN 22 DIFFERENT DESIGNS**


SQUARE DESIGN

fF

DESIGN AWARD 2017

RECTANGULAR DESIGN









## **CLEAN DRAINS**

The drain area has been deliberately designed without edges where dirt can collect. What makes the shower surface especially easy to clean is the practical comb insert, which can be removed easily and cleaned as required.

80	×	170		
80	×	160		
80	×	150		
80	×	140		
80	×	120		
80	×	100		


	90 × 180
	90 × 170
	90 × 160
	90 × 150
	90×140
	90 × 120
	90 × 100
L	


100 × 160
100 × 140
100 × 120

# GEBERIT SETAPLANO SHOWER SURFACE



- Stable installation frame made of powder-coated steel for easy installation.
- Feet can be clicked into the frame in no time.
- Precise trap placement thanks to integrated bracket.
- Convenient height adjustment from above.





- With the Geberit Setaplano shower surface, the number of individual parts required for installation is kept to a minimum.
- As the sealing fleece comes premounted at the factory, the work is made significantly simpler and a high level of safety is ensured.



STABLE AND SUITABLE FOR BUILDING SITES

The distinctive blue installation frame, made of powder-coated steel, is available in a range of sizes. Four to six feet are required for installation, depending on the size. The feet are simply clicked into place on the frame at the designated points.



## SIMPLE ALIGNMENT - SECURE FASTENING

The feet can be aligned easily with the floor height using a standard tool, working from above. Once this is complete, sliders are used to secure them reliably in place.



### EASY-TO-INSTALL TRAP

The trap is available in two models: one with a 3 cm depth of water seal and a discharge rate of 0.45 l/s, and one with a 5 cm depth of water seal and a discharge rate of 0.65 l/s. Both models can be snapped into the premounted bracket and aligned by rotating 360°. Simple cleaning: the flexible trap cup can be removed as a whole part.







Steady footing thanks to antislip class B



Surface-even or lay-on installation possible

# GEBERIT OLONA SHOWER SURFACE **ELEGANCE** WITHOUT COMPROMISE

# • New floor-even shower surface made of resin stone

- Matt white surface
- Available in 26 different formats
- Easy installation

# GEBERIT OLONA SHAPES AND SIZES

SQUARE DESIGN


# RECTANGULAR DESIGN

75 x 170

75 x 90







80 x 170
80 x 160
80 x 140
80 x 120
80 x 100



SPECIAL DRAIN COVER Design drain cover included in the Olona shower surface scope of delivery.





# SEALING FLEECE

The shower surface is equipped with a circumferential sealing fleece at the factory.

	120 x 12	0
	100 x 10	0
	90 x 9	0
	80 x 8	0

100 x 160
100 x 140
100 x 120


90 x 180
90 x 170
90 x 160
90 x 140
90 x 120
90 x 100



# GEBERIT SESTRA SHOWER TRAY

# WHEN FORM AND **FUNCTION** COME TOGETHER

- Available in rectangular and square versions in 16 formats
- Three design options: white, stone grey, graphite
- Surface with the best antislip class C in accordance with DIN 51097




**REMOVABLE COMB INSERT** An easy-to-clean, removable comb insert positioned underneath the drain cover prevents clogging in the drainage system.


# **GEBERIT SESTRA SHOWER TRAYS ARE AVAILABLE IN 16 DIFFERENT DESIGNS**

RECTANGULAR DESIGN

 $90 \times 90$ 80×80



SQUARE DESIGN







THREE NATURAL COLOURS

The Geberit Sestra shower tray is available in three colours that work in perfect harmony with the slate structure of the surface: white, stone grey and graphite.



## DRAIN WITHOUT EXTENSIVE HIDDEN AREAS

Water is guided via a surface profile with no hidden areas to the drain in the middle of the integrated shower channel.

80	×	16	0
80	×	14	0
80	×	12	0
80	×	10	0

[	70 × 170
	70 × 160
	70×140
	70 × 120
ł	70 × 100
	70 × 90




# SHOWER TRAY FEET FOR GEBERIT OLONA, SESTRA AND MELUA **TOOL-FREE INSTALLATION AND** HEIGHT ADJUSTMENT

- Installation without solid construction
- Tool-free installation
- Easy to adhere to resin stone shower surfaces
- Versatile product design for bathroom and sanitary installation
- Available in two sizes: height adjustment from 6 to 12 cm or 9 to 21 cm

### THE NEW SET OF FEET THAT CAN BE INSTALLED WITHOUT TOOLS makes it easier to install Geberit Olona, Sestra and Melua shower surfaces. The set of feet can be

environment.





RAIL WITH ADHESIVE TAPE The supporting crossbars are equipped with an adhesive surface for fastening to the bottom side of the shower surfaces.



**RAIL PRESSED ONTO THE SHOWER** TRAY FLOOR

After the protective foil is peeled off, the rail is bonded to the shower surface from below.



SET OF FEET IN THE RAIL The set of feet is simply pushed into the rail and fixed by turning into place.



EASY ALIGNMENT Tool-free height adjustment to adapt to the surface by turning the easy-to-grip blue adjusting screw.





The Nemea shower surface offers a cost-effective, elegant solution for floor-even showers. The surface made of sanitary acrylic has a pleasantly warm feel, is easy to clean and resistant to ageing over the long term. It is available in high-gloss or matt white alpine, with the extra option of a cover in white with a chrome rim.



Silky-smooth surface that is pleasant and warm to the touch



Elegant shower surface made of reliable sanitary acrylic



Simple cleaning and care


# GEBERIT NEMEA SHOWER SURFACE FLOOR-EVEN SHOWERS FOR EVERY **BATHROOM**


- Elegant, affordable shower surface in many sizes
- Made of pleasantly warm acrylic in high-gloss or matt white alpine, easy to clean and resistant to ageing
- Comb insert in the drain
- Simple installation thanks to proven crossbar system with tool-free adjustment




EASIER CLEANING The drain is equipped with a comb insert that prevents the trap from clogging and makes cleaning easy.

### **GEBERIT NEMEA IS AVAILABLE IN NINE DIFFERENT FORMATS**










# **PROVEN CONSTRUCTION**

The installation set consists of a shower tray, set of feet, crossbars, trap, drain cover and comb insert.



Geberit shower channels in the CleanLine series combine an elegant appearance with the easy installation of a floor drain. In addition, the innovative system solves the hygiene problem many shower channels have.



No hidden gutters means no chance of any dirt or bacteria deposits. The removable comb insert makes the drain easy to keep clean



Floor-even access for completely tiled shower areas



Classic stainless steel, on-trend in coloured metallic tones, discreet as a tile-bearing profile



# DESIGN PLUS powered by: ISH

NARROW AND FUNCTIONAL: THE NEW GEBERIT CLEANLINE50 SHOWER CHANNEL With a width of just three centimetres, the CleanLine50 complements the range of Geberit CleanLine shower channels with a new design variant. Technically, the new CleanLine50 shower channel scores points with proven features: easy cleaning, guaranteed tightness and integrated slope. It is available in two colours and finishes: brushed stainless steel and black chrome with anti-fingerprint coating.


# GEBERIT SHOWER CHANNEL IN THE CLEANLINE SERIES **DESIGN SOLUTION IN THE FLOOR**

- Extremely high customer satisfaction thanks to simple cleaning and modern linear appearance.
- Suitable for tiled and PUR flooring.
- Can be cut directly to the required length during installation.



# DESIGN OPTIONS TO SUIT ANY BATHROOM STYLE

The shower channel is available in various design options with three different shapes of stainless-steel profile: the Geberit CleanLine20, CleanLine60 and CleanLine80 shower channel. The new Geberit shower channel CleanLine80 features a high-guality, selfcontained channel profile with an integrated slope and can be ordered in the on-trend metallic tones of champagne, black chrome and classic stainless steel.





DESIGNED FOR CLEANLINESS The collector profile drains all traces of water and dirt. It can be kept clean by simply wiping it down. The comb insert in the drain traps hair to keep it out. This can be removed in no time and washed out with ease.



TILE-BEARING The tile-bearing model of Geberit shower channels in the CleanLine series can be discreetly adapted to suit the floor tiles.


← 15,7 cm →

# GEBERIT SHOWER CHANNEL IN THE CLEANLINE SERIES

- Easy access to the drain • Suitable for installation centrally and close to the wall • Classic and discreet linear design, suitable for virtually any floor-even shower area

## PRECISE

The Geberit shower channels in the CleanLine series can be individually cut to length directly during installation and adapted to the showering area. The various design options offer suitable solutions for every floor type. The shower channel can be positioned centrally in the shower or close to the wall.



CONNECTING PIECES F OR **COMMUNAL SHOWERS** Geberit offers connecting pieces

designed to combine multiple shower channels for communal shower systems into a cohesive visual unit.

- Unique design with cover profile, comb insert and drain
- Effortless installation thanks to complete installation kit
- Premounted sealing foil securely injected ex works for reliable sealing
- Length and positioning flexibly adjustable

### TOP DESIGN MADE EASY


The timeless linear design of shower channels is equally popular with private and commercial bathroom customers. Geberit shower channels in the CleanLine series offer a whole host of additional benefits. They guide the water through an open cover profile to the drain in the middle. This means there are no hidden channel areas where dirt and odours can accumulate. At the same time, they are as easy to install as a floor drain thanks to their innovative technical structure. The profile can be integrated into the floor like a tile, which means even tilers can work with Geberit CleanLine without a hitch.



SOUND-DECOUPLED BASE UNIT Certified compliance with sound insulation requirements. The trap is available for two different installation heights: minimum 6.5 cm or minimum 9 cm.



ADDITIONAL CONNECTION FOR THE WASHBASIN DRAIN Installation set with lateral outlet for connection of a washbasin drain, rotatable by 360°





# GEBERIT WALL DRAIN **DESIGN SOLUTION BEHIND THE WALL**


- Innovative solution for integration in prewall systems
- Clear separation of trades thanks to pipe placement behind the wall
- Optional collector profile for efficient and precise formation of the slope in the floor



### FOR NEW CONSTRUCTION AND RENOVATION

The Geberit wall drain for showers is the answer customers have been waiting for when it comes to bringing their dream designs to life. Not only is it suitable for use in a wide range of applications, but the system technology allows wall drains to be installed in all bathrooms featuring a prewall installation system - even in renovations or where space is limited.

# COLOURS/PRODUCT MATERIALS



 $\langle (\mathbf{G}) \rangle$ 





## DEVELOPED FOR OPTIMUM HYGIENE

The Geberit wall drain for showers features an integrated comb insert that can be removed and washed out in no time at all. The cleaning of the shower floor is particularly simple thanks to the uninterrupted floor.



### WELL-THOUGHT-OUT ALL DOWN THE LINE

The optionally installable collector profile directly in front of the wall supports the slope and collects dirt and deposits so that they can be readily washed away.



The Geberit floor drain is the universal solution for floor-even showers. It offers a number of clear benefits, including a minimalist design, ingenious functionality and easy installation.



Various design covers



Easy to clean thanks to integrated comb insert



Threshold-free access for floor-even shower areas

# GEBERIT FLOOR DRAIN SIMPLE AND COMPACT


- Intelligent details for an uncomplicated installation
- Design grating made of solid stainless steel
- Compact structure
- Reliable seal with sealing foil injected ex works



outlet for connection of a washbasin drain, rotatable by 360°

# **BIG PERFORMANCE IN A SMALL PACKAGE**

When installation needs to be as simple as possible and costs kept as low as they can be, the Geberit floor drain is the best solution - and a very compact one at that, with a grating area of only 8 × 8 cm. Hidden under the grating are the great qualities that make Geberit one of the world's leading providers of sanitary technology.



### MAXIMUM REDUCTION AND PRECISION

The Geberit shower floor drain sets itself apart thanks to its extremely compact construction with a grating area of only 8 × 8 cm along with its exceptional functionality. The height, inclination and offset of the grating can be adjusted to suit the tile grid.



**ALWAYS A CLEAN DRAIN** Under the grating, there is an integrated comb insert that can be easily removed and washed out for cleaning. This prevents clogging in the drain and the discharge pipes.

 $\leftarrow$  8 cm  $\rightarrow$ 



Stainless steel, round



Stainless steel, square



# GEBERIT FLOOR DRAIN FOR FLOORING MADE OF VINYL (PVC)

- For public and semipublic area
- Suitable for various pipe dimensions and floor structure height
- The technical structure corresponds to that of Geberit's known floor drains with reliably high drainage capacity
- Quick and economical installation thanks to tool-free mounting of all required parts included in the complete scope of delivery

# STRUCTURE

The structure matches that of Geberit's known floor drains. The drains are available in dimensions of d40, d50 and d56, and in various construction heights.





THE NEW GEBERIT FLOOR DRAIN

in semipublic buildings or temporary

sanitary rooms.

is suitable for installation in shower areas



FLOOR DRAIN FOR VINYL (PVC) FLOORS Quick and easy installation in rooms with floors laid in rolls, such as vinyl (PVC) or linoleum floors.





ALWAYS A CLEAN DRAIN

Under the grating, there is an integrated comb insert that can be easily removed and washed out for cleaning. This effectively prevents clogging in the drain and the discharge pipes.





The Geberit walk-in shower panel is fastened to the prewall without any visible fittings or profiles. This makes the surfaces even easier to clean.



No water or dirt residue in the niche storage box, as the water is able to drain freely from the shelf surface



Walk-in shower panel without bulky aluminium profiles



By using the prewall, the niche storage box creates additional storage space without restricting freedom of movement


# GEBERIT NICHE STORAGE BOX & WALK-IN SHOWER PANEL **PREWALL** WITH **CLEVER BENEFITS**

- Integration of Geberit walk-in shower panel and niche storage box into the prewall system
- Geberit walk-in shower panel incorporated seamlessly into the planning and installation processes for prewall installation
- Quick and straightforward installation of the shower area




## SPACE-SAVING AND EASY TO INSTALL

An installation set equipped ex works with a premounted sealing foil makes the Geberit niche storage box an integral component of the installation system. The ready-to-install Geberit niche storage box simplifies both planning and installation. What's more, this spacesaving solution ensures there are no bottlenecks in connection with the shower tap.



The Geberit niche storage box is integrated directly into the prewall installation.



TILE-BEARING NICHE STORAGE BOX The Geberit niche storage box is also optionally available as a tile-bearing model.



## EASY INSTALLATION WITHOUT FITTINGS

The Geberit walk-in shower panel can be integrated seamlessly into the planning and installation processes for the prewall system thanks to a newly developed installation element. The use of the prewall facilitates a large adjustable range for the glass pane of 5 cm.



The Geberit walk-in shower panel is fastened in place without any visible fittings.



The Geberit bathtub drain with turn handle meets the desire for clear, minimalist bathroom designs. The new design and slim ergonomics offer an attractive solution for clear, minimalist and highly functional bathroom equipment.

# GEBERIT BATHTUB DRAINS THE ESSENCE **OF BATHING**

- Overflow and turn handle for the drain in one slim product
- Also available with a turn handle and integrated floor drain
- Elegant design variants and colours, suitable for every decor style
- Standardised installation of all drain assemblies

Hydraulically-optimised trap with low installation height in all bathtub drains.

### RELIABLE DRAINAGE FOR EVERY BATHTUB DESIGN

The Geberit drain assembly for bathtubs is available in different designs depending on the type of installation: It comprises a drain with valve seat, a flexible overflow pipe and a trap that is connected to the floor drainage system. In addition, there is a cable actuator between the turn handle and the drain that can be used to lift or lower the waste plug by turning the actuator

rosette. The bathtub drain is also available with an integrated inlet for premixed water. The hidden floor drain has been flow-optimised and is easy to descale because the tap aerator is manually removable. A universal Masterfix bend connector connects it to the water supply line. With pressureresistant sealing, the entire system from the mixer tap to the inlet can be subjected to a pressure test of up to 15 bar.

## COLOUR VARIANTS





Chrome

White

White with chrome rim

Slim turn handle with clear look. The waste plug can be lifted or lowered with cable actuator by turning the actuator rosette.



ATTRACTIVE SOLUTION Bathtub drain with integrated inlet available for premixed water.



Opaque black

Geberit Prodaja d.o.o. Bezena 55a 2342 Ruše

www.geberit.al